POPULATION ESTIMATES	CENSUS DATA	LOCAL PUBLIC HEALTH
Total 1995 Population Est 1,095,970	 -	Per Activities Reported Number 10,000
Percent Female 50.7	 Note: Data in this section are from	Activities Reported Number 10,000
Tercent remare 50.7	the 1990 Census. (All other	Public Health Nursing
Population per square mile 105	sections contain 1995 data	Total clients 20,843 .
Rank in state .	except where specified.)	Total visits 89, 152
(1=highest population density,	encope unero specificati,	Visits: Reason for
72=lowest population density.)	Ratio of 1989 Family	Gen hlth promotion 14,931 .
	Income to Poverty	Infant/child hlth 11,287 .
	(Cumul ative)	Infectious & parasitic 8,277 .
<u>Age Female Male Total</u>		Circulatory 8, 822 .
0-14 116, 940 122, 700 239, 640	Age <100% <185% <200% Total	Prenatal 1,505 .
15-19 38, 900 41, 050 79, 918		Postpartum 2,917 .
20-24 33, 320 34, 070 67, 390	5-17 10 26 30 199, 875	NIT C. D
25-29 34, 970 35, 120 70, 090	18-44 8 21 24 413, 629	WIC Participants 31,733 290
30- 34	45-64 5 14 16 187, 799 65+ 9 36 40 133, 008	Clinia Vigita 154 110
35- 39 46, 110 48, 060 94, 170 40- 44 42, 070 43, 800 85, 870	65+ 9 36 40 133, 008	Clinic Visits 154, 118 . Immunization 95, 987 .
45- 54 63, 830 63, 730 127, 560		Blood pressure 18, 255 .
55-64 45,600 44,220 89,820		brood pressure 16, 235 .
65-74 43,000 36,990 79,990		Environmental Contacts
75-84 32,700 21,070 53,770	CANCER INCIDENCE	
85+ 13, 920 5, 430 19, 350	(1995)	Public health nuisance 2,828 .
Total 555, 200 540, 770 1, 095, 970		
, , , , , , , , , , , , , , , , , , , ,	<u>Primary site</u> Number	School Health
	Col on 540	Vision screenings 65,031 .
<u>Age Female Male Total</u>	Lung 629	Hearing screenings 37,652 .
0-17 140, 950 148, 030 288, 980	Breast 853	
18-44 215, 200 221, 300 436, 500	Prostate 783 All others 2,657	Health Education
45-64 109, 430 107, 950 217, 380	All others	Community sessions 1,093 .
65+ 89, 620 63, 490 153, 110 The last 155, 200 540, 750 1 205, 270	Total 5, 462	Community attendance 18,622 .
Total 555, 200 540, 770 1, 095, 970		School sessions 1,047 .
		School attendance 25,320 .
E M P L O Y M E N T	IONC TERM CARE	 Staffing – FTEs
E WII E V I WIE N I	LONG IERWI CARE	Total staff 303 2.8
Note: Average wage is based on place		Administrators 30 .
of work, not place of residence.	Home Health Agencies 35	Public health nurses 108 1.0
or work, not prace of restached.	Patients 14, 188	Public health aides 41 .
Average wage for jobs covered	Patients per 10,000 pop 129	Environmental specialists 19 .
by Unemployment Compensation \$24,627		
	Nursing Homes 112	`[
<u>Labor Force Estimates Annual Average</u>		LOCAL PUBLIC HEALTH FUNDING
Civilian labor force 636,753	Occupancy rate (percent) 93.0%	l' Per
Number employed 613, 176 Number unemployed 23, 577	Residents on 12/31/95 10,878	Amount Capita
Number unemployed 23,577	Li censed beds	Total funding \$\frac{13, 565, 255}{12.38}
Unemployment rate 3.7%	population aged 65 or older 64	Local taxes \$8, 140, 272 \$7. 43
		\mathbf{I}

TAGE 320			1333 1 K	TILE FOR N	ORTHEASTE	IN DON ILLG.	LON		Second of	i ioui pages
				- N A T A L	. I T Y					
TOTAL LIVE BIRTHS		13, 731	Birth	0rder	Bi rths	Percent	Marital	Status		
			Fi rst		5, 308	39	<u>of Mothe</u>	er	Bi rths	Percent
Crude Live Birth Rate		12. 5	Second		4, 594	33	Marri ed		10, 920	80
General Fertility Rat	te	57. 4	Thi rd		2, 327	17	Not marri	ed	2, 811	20
			Fourth	or higher	1, 502	11	Unknown		0	•
Live births with repo	orted		Unknow	1	0	•				
congenital anomalies	19	2 1.4%		_			Education			
		_		Prenatal		_	<u>of Mothe</u>		<u>Births</u>	<u>Percent</u>
<u>Delivery Type</u>	<u>Births</u>	Percent	<u>Vi si t</u>		<u>Births</u>	<u>Percent</u>	Elementa	ary or les	s 406	3
Vaginal after	400			mester	11, 886	87	Some high	school	1, 369	10
previous cesarean	408	3	2nd tri		1, 504	11	High scho	ool	5, 306	39
Forceps	278	2	3rd tri	mester	271	2	Some coll	ege graduate	3, 576	26
Other vagi nal	11, 113	81	No vi si	ts	59	<1	College g	graduate	3, 062	22
Primary cesarean	1, 210	9	Unknowr	1	11	•	Unknown		12	•
Repeat cesarean	719	5	Ml	. C D	1		C 1	Cul		
Other or unknown	3	•		of Prenata		D	Smoki ng	Status	Dr. all.	D
D' at b. W. C. d. a	Dr. all.	D	<u>Care v</u>	1 S1 US	Births	Percent	or Motne	er	Births	Percent
Birth Weight	BITTNS	Percent	No vis		59	<1	Smoker		2, 628	19
<1, 500 gm	128	0. 9	1-4 v		252	2	Nonsmoker		11, 096	81
1, 500-2, 499 gm	604	4.4		visits	2, 480	18	Unknown		7	•
2, 500+ gm Unknown	$12,999 \ 0$	94. 7	10-12 v		6, 563	48 32				
Unknown	U	•	13 +		4, 347 30					
			Unknown	l	30	<1				
		_	Low Birt	h Weight			er of Firs			
	_Total I		(under 2,	_500 gm)	_1st_Tri		2nd Tri	mester <u>Percent</u>	Other/	Unknown
Race of Mother	<u>Births</u> I	<u>Percent</u>	<u>Births</u>	<u>Percent</u>	<u>Births</u>	Percent	<u>Births</u>	Percent	<u>Births</u>	Percent
Whi te	12, 871	94	673	5. 2	11, 412	89	1, 188	9	271	2
Black	57	<1	3	•	36	63	17	_ •	4	•_
0ther	803	6	56	7. 0	438	55	299	37	66	8
Unknown	0	•	•	•	•	•	•	•	•	•
			Low Birt	h Weight		Tri most	er of Firs	t Pronatal	l Vigit	
	Fe	ertility	(under 2,		1st Tri		2nd Tri		Other/	Unknown
Age of Mother	Births		Rinths	Percent_		Percent		Percent		<u>Percent</u>
<15	13		DITCHS	i ei cent	4	1 er cent	4	1 er cent	5	1 el cent
15-17	385	16	28	7. 3	240	62	107	28	38	10
18-19	790	53	58	7. 3	565	72	178	23	47	6
20-24	2, 847	85	173	6. 1	2, 318	81	426	15	103	4
25-29	4, 565	131	200	4. 4	4, 116	90	376	8	73	2
30-34	3, 689	84	200	5. 4	3, 391	92	259	7	39	1
35-39	1, 240	27	65	5. 2	1, 100	89	114	9	26	2
40+	202	5	8		152	75	40	20	10	~
Unknown	0			•	152		•			•
		0.1	,	-	•	-	-	•	, and the second	•
<u>Teenage Births</u>	1, 188	31								

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES fetal deaths. TOTAL DEATHS Crude Death Rate 9, 748

<u>Di sease</u>	<u>Number</u>
Campylobacter Enteritis	305
Gi ardi asi s	276
Hepatitis Type A	30
Hepatitis Type B*	80
Hepatitis NÄÑB/C**	5
Legi onnai re' s	7
Lyme	18
Measles	5
Meningitis, Aseptic	34
Meningitis, Bacterial	19
Mumps	0
Pertussi s	34
Sal monel losi s	229
Shi gel l osi s	51
Tubercul osi s	17

- Includes HBV carriers Includes HCV screens

Sexually Transmitted Disease

Chlamydia Trachomatis	1, 195
Genital Herpes	440
Gonorrhea	244
Nongonococcal Cervicitis	11
Nongonococcal Urethritis	48
Syphilis	24

----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by Compliance Level

Compl i ant	219, 644
Non-compliant	2, 262
Percent Compliant	99. 0

Age	Deaths	Rate
1-4	24	34
5-14	28	17
15-19	56	70
20-34	191	85
35-54	654	213
55-64	810	902
65-74	1, 870	2, 337
75-84	3, 042	5, 655
85 +	2, 974	15, 370

Infant		
<u>Mortality</u>	Deaths	Rate
Total Infant	99	7. 2
Neonatal	66	4.8
Post-neonatal	33	2. 4
Unknown	•	•

Race of Mother		
Whi te	96	7. 5
Bl ack		
0ther	3	
Unknown		

<u>Birth Weight</u>		
<1,500 gm	50	390. 6
1,500-2,499 gm	9	•
2, 500+ gm	40	3. 1
Unknown	•	•

Perinatal Mortality	Deaths	Rate
Total Perinatal	156	11. 3
Neonatal	66	4.8
Fetal	90	6. 5

Selected		
<u>Underlying Cause</u>	Deaths	Rate
Heart Disease (total)	3, 212	293
Coronary heart disease	2, 235	204
Cancer (total)	2, 216	202
Lung	543	50
Colorectal	272	25
Female breast	170	31*
Cerebrovascul ar Disease	767	70
Chron Obstr Pulmonary	409	37
Pneumonia & Influenza	353	32
Inj uri es	405	37
Motor vehicle	175	16
Diabetes	226	21
Infectious & Parasitic	117	11
Sui ci de	157	14

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Al cohol	101	9
Other Drugs	135	12
Both Mentioned	14	•

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor	Persons	Persons	
<u>Věhicle Crash</u>	I nj ured	<u>Killed</u>	
Total Crashes	13, 366	180	
Al cohol - Rel ated	1, 737	69	I
With Citation:		'	
For OWI	1, 029	12	
For Speeding	925	4	
Motorcyclist	446	10	
Bi cycl i st	359	6	
Pedestrian	255	13	

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	e Average Charge	Charg Per Capi ta
I nj ury-Rel at ed	· All					Al cohol - Rel at	ed				
Total	9, 257	8. 4	5. 0	\$8, 961	\$76	Total	3, 244	3. 0	5. 1	\$2, 737	\$8
<18	956	3. 3	3.8	\$7, 302	\$24	18-44	2, 105	4.8	4. 7	\$2, 306	\$11
18-44	2, 626	6. 0	4. 2	\$8, 695	\$52	45-64	809	3. 7	5. 1	\$3, 094	\$12
45-64	1, 746	8. 0	5. 0	\$9, 512	\$76					, , , , , ,	,
65+	3, 929	25. 7	5. 8	\$9, 298	\$239	Pneumoni a and	Influenza				
Injury: Hip			0.0	ψο, που	4200	Total	3, 567	3. 3	5. 5	\$6, 305	\$21
Total	1, 243	1. 1	6. 7	\$10, 839	\$12	<18	832	2. 9	3. 5	\$3,670	\$11
65+	1, 158	7. 6	6. 7	\$10, 811	\$82	45-64	450	2. 1	5. 3	\$7, 066	§15
Injury: Pois			0. .	410, 011	402	65+	1, 960	12. 8	6. 5	\$7, 324	\$94
Total	679	0.6	2. 2	\$3, 097	\$2	1	1,000	12.0	0.0	ψ., σ . 1	401
18-44	356	0.8	$\tilde{2}.\tilde{2}$	\$3, 248	\$3	Cerebrovascul	ar Disease				
10 11	000	0.0	~. ~	φο, ε 10	Ų O	Total	3. 174	2. 9	5. 3	\$7, 421	\$21
Psychi atri c						45-64	567	2.6	5. 2	\$9, 440	\$25
Total	7, 534	6. 9	10. 1	\$5, 471	\$38	65+	2, 518	16. 4	5. 2	\$6, 828	\$112
<18	1, 710	5. 9	11.8	\$6, 393	\$38	001	۵, 010	10. 1	0. 2	00, 0≈0	ΨII≈
18-44	3, 634	8. 3	9. 2	\$4, 735	\$39	Chronic Obstr	uctive Puli	monary [)i saasa		
45-64	1, 098	5. 1	11. 1	\$5, 856	\$30	Total	1, 993	1.8	4.3	\$4, 734	\$9
65+	1, 092	7. 1	9.6	\$6, 091	\$43	<18	363	1.3	2.7	\$2, 978	\$4
00+	1,032	7.1	3. 0	50, 031	943	18-44	253	0.6	3. 0	\$2, 376 \$3, 492	\$ 2
Coronary Heart	Di coaco					45-64	366	1.7	3. 0 4. 4	\$5, 492 \$5, 246	\$2 \$9
Total	6, 172	5. 6	4.8	\$13, 246	\$75	45-04	1, 011	6.6	5. 1	\$5, 240 \$5, 490	\$36
45-64	2, 212	10. 2	4. 3	\$13, 785	\$140	05+	1, 011	0. 0	J. 1	33, 430	330
45-04 65+	$\frac{2}{3}, \frac{212}{681}$	24. 0	4. 2 5. 2	\$13, 783 \$12, 994	\$312	Drug-Related					
03+	3, 061	24. 0	J. 2	312, 994	3312	Total	426	0. 4	8. 9	\$4, 593	\$2
Molignont Noon	losms (Co	noona).	A11			10tal 18-44	420 222	0. 4	7. 0		\$2 \$2
Malignant Neop Total	4, 897	4. 5	6. 9	\$11, 459	\$51	16-44	222	0. 5	7. 0	\$3, 254	\$2
18- 44	4, 897 394	4. 3 0. 9		\$11, 439 \$14, 329	\$13	Total Hagnita	1:				
						Total Hospita		110 0	4 5	00 071	0000
45-64	1, 449 2, 979	6. 7	6. 5 7. 0	\$11, 523	\$77 \$209	Total <18	120, 608	110.0	4. 5	\$6, 271	\$690
65+	L, 9/9	19.5		\$10, 724			23, 630	81.8	3. 2 3. 5	\$3, 168	\$259 \$354
Neoplasms: F			tes for	remare po		18-44	34, 539	79. 1		\$4, 471	
Total	609	1.1	2. 4	\$5, 058 ¹	\$6	45-64	20, 673	95. 1	4. 9	\$8, 418	\$801
Neoplasms: C		1	0.5	010 041	ÓΩ	65+	41, 766	272. 7	5. 9	\$8, 454	\$2, 305
Total	631	0.6	9. 5	\$13, 841	\$8		4 D I E II	0 C D I		T 77 A 170 T	0 N C
65+	475	3. 1	9.8	\$13, 915	\$43	PREVENT					
Neoplasms: L	ung	0.4	~ 1	010 017	0.5	Total	15, 252	13. 9	4.9	\$5, 536	\$77
Total	405	0.4	7. 1	\$12, 217	\$5	<18	2, 546	8. 8	2.8	\$3, 121	\$28
D: 1 .						18-44	1, 917	4.4	3.8	\$4, 778	\$21
Diabetes	1 010		0.1	00 070	60	45-64	2, 270	10. 4	5. 0	\$6, 580	\$69
Total	1, 213	1. 1	6. 1	\$8, 056	\$9	65+	8, 519	55. 6	5. 7	\$6, 151	\$342
65+	489	3. 2	6.8	\$7, 607	\$24			10			
						* Hospi tal i zat	ions for co	ondi ti or	ış wnere	timely a	nd , ^
						effective ambu	latory car	e can re	educe th	e likelih	ood of
					hospi tal i zati o	n.					